



# NEO iDSD / NEO iDSD 2 RAZLIKE - PREDNJA STRANA

SilentLine retina-grade TFT zaslon u boji s dizajnom bez šuma za čisti audio signal.


*NEO iDSD 2*



Dodani analogni načini obrade XSpace i XBass II, kao i izbor pojačanja slušalica.

*NEO iDSD*

Monokromatski zaslon.



ifi

# NEO iDSD / NEO iDSD 2 RAZLIKE - ZADNJA STRANA

## NEO iDSD 2



Napredno dizajnirana  
unutarnja antena.

Dodan ulaz za vanjski sat  
i analogni 3,5 mm ulaz.

## NEO iDSD



Vanjska antena



# NEO iDSD / NEO iDSD 2

## RAZLIKE - FUNKCIJE

	<i>NEO iDSD</i>	<i>NEO iDSD 2</i>
Lossless Bluetooth	-	aptX Lossless
Izlazna snaga (do 10x veća)	Balansirano: >6.4V/68.6 mW (@ 600Ω) >5.77V/1040 mW (@ 32Ω) Nebalans.: >3.25V/17.6 mW (@ 600Ω) >3V/295 mW (@ 32Ω)	>19.5V/650 mW (@ 600Ω) >13.3V/5,551 mW (@ 32Ω) >10.5V/184 mW (@ 600Ω) >9.5V/2,832 mW (@ 32Ω)
Odabir pojačanja (dodatne 3 razine)	-	Auto iEMatch (-12dB) 0dB > +8dB > +16dB > -12dB
XBassII	-	XBass + Presence
XSpace	-	Yes
Zaslon	0.96" Mono	2.0" Retina-grade TFT color display
Analogni ulaz	-	3.5mm
Vanjski ulaz za sat	-	External Sync Clock 10MHz
Antena	Vanjska	Ugrađena
Daljinski	Plastični 6 gumba	Metalni 11 gumba
iFi Nexis App	-	Kompatibilan