




ARTESANÍA AUDIO

the high end rack company

www.artesaniaaudio.com

info@artesaniaaudio.com



ARTESANÍA AUDIO

the high end rack company

CLASIC LINE

MASTER KIO
EXOTERYC RACK
PRESTIGE RACK
AIR FORCE RACK
KALISTA RACK
AUDIOVIDEO RACK
MINI RACK

ORGANIC LINE

MODULAR RACK
ABSOLUTE RACK

ACCESORIES RACK

PLATFORMS
SHELVES
DAMPERS
DECOUPLING DISCS
SPEAKER BASES
ELECTRONIC BASES



Technology



SDS
Suspended Double Structure tech



3D
Triple Decoupling



AAT
Acoustic Anti-ressonance Treatment



MNS
Maximum Neutrality System



Supports 700 kg



ADJUSTABLE TEFLON CILINDERS UPGRADE



CARBON FIBER / GLASS FIBER / KRION / MDF MULTILAYER PLATFORM
Carbon fiber 100% 3K Twill 200gr/m² on both upper and lower faces, with G10 biaxial glass fiber 180 gm/m² inner core. Finishing like fiber arms.



CARBON FIBER ARMS UPGRADE



BEECH WOOD ISOLATION DISC



MASTER KIO AIRE PLATFORM

Technical Specifications

RACK MASTER WEIGHT

MODEL	kg	lb
3 levels	73	161
4 levels	92	203
3+3 levels tandem	128	283

PLATFORM WEIGHT SUPPORTED


PLATFORM MODEL	kg	lb
Carbon Fiber / Glass Fiber / Carbon Fiber / Krion	200	441

INTERNAL STRUCTURE WEIGHT SUPPORTED

MODEL	kg	lb
3 levels	450	992
4 levels	600	1323
3+3 levels tandem	900	1984

WEIGHT SUPPORTED RACK + PLATFORM (Glass Et Krion)

MODEL	kg	lb
3 levels	650	1433
4 levels	800	1764
3+3 levels tandem	1100	2425



All racks are shipped 95% assembled

Any special & custom version upon request



All racks are shipped 95% assembled

Any special & custom version upon request

www.artesaniaaudio.com
info@artesaniaaudio.com

Technology



SDS
Suspended Double Structure tech



3D
Triple Decoupling



AAT
Acoustic Anti-Resonance Treatment



MNS
Maximum Neutrality System



Technical Specifications

EXOTERYC RACK WEIGHT

MODEL	kg	lb
3 levels	50	110
4 levels	62	137
3+3 levels tandem	84	185

INTERNAL STRUCTURE WEIGHT SUPPORTED

MODEL	kg	lb
3 levels	170	375
4 levels	200	441
3+3 levels tandem	250	551

PLATFORM WEIGHT SUPPORTED

PLATFORM MODEL	kg	lb
Treated glass	150	330
Krion	150	330
Server Digital	60	132

WEIGHT SUPPORTED RACK + PLATTFORM (Glass & Krion)

MODEL	kg	lb
3 levels	320	704
4 levels	350	770
3+3 levels tandem	400	880




DIMENSIONS	3 LEVELS	4 LEVELS	3+3 LEVELS TANDEM
Total height	73 cm / 28,74"	98 cm / 38,58"	73 cm / 28,74"
Internal distance between legs	55 cm / 21,65"	55 cm / 21,65"	55 cm / 21,65"
External distance between legs	67 cm / 26,37"	67 cm / 26,3	128 cm / 50,39"
Total depth	52,5 cm / 20,66"	52,5 cm / 20,66"	52,5 cm / 20,66"
Net space between tiers	46 cm / 18,11"	63 cm / 24,80"	92 cm (2 x 46 cm) 36,22" (2 x 18,11")
Usable depth	Adaptable on depth		

www.artesaniaaudio.com
info@artesaniaaudio.com


EXOTERYC RACK

Technical Construction Details


- 1 PLATFORM**
A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.
- 2 STAINLESS STEEL TOP ATTACHMENTS ON RACK UPRIGHTS**
Each top is made with conical recess to support the spikes of the turntable platform.
- 3 EXTERNAL STRUCTURE**
It's made of metal filled with special particles and elastomers. The uprights have a diameter of 60 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.
- 4 INTERNAL SUSPENDED STRUCTURE**
Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of anti-resonant protection. This suspended audio rack has a triple decoupling.
- 5 TEFLON CILINDERS**
Support the internal structure and isolates from the external structure. (Diameter 38 mm)
- 6 EARTH TERMINAL**
To connect electronics (essential for phono) Check manual to connect properly if is necessary.
- 7 BRIDGE BAR**
Height variable rear rods strengthen the external structure to guarantee stability and ensure free easy access to install components.
- 8 INTERNAL FRAME**
These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.
- 9 LINEAR ARMS**
Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.
- 10 ISOLATION DISCS**
Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.
- 11 STABILIZER BAR**
Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.
- 12 DECOUPLING BASE**
Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.



EXOTERYC RACK



Versions




All racks are shipped 95% assembled

Any special & custom version upon request

PRESTIGE RACK

PRESTIGE RACK



Technology



SDS
Suspended Double Structure tech



3D
Triple Decoupling












AAT
Acoustic Anti-ressonance Treatment



MNS
Maximum Neutrality System

Versions



RACK MODEL	rack weight		weight supported	
	kg	lb	kg	lb
2 levels	24	53	100	220
3 levels	28	62	150	331
4 levels	34	75	170	375
5 levels	41	90	200	441
6 levels	50	110	225	496
2+2 tandem	38	84	200	441
2+2+2 tandem	52	115	250	551
3+3 tandem	44	97	250	551
3+3+3 tandem	63	139	300	661

Rack's depth: 46 cm (adaptable on depth)

*usable space: total net space between tiers



All racks are shipped 95% assembled

Any special & custom version upon request

PRESTIGE RACK

PRESTIGE RACK

Technical Construction Details

1 PLATFORM

A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.

2 STAINLESS STEEL TOP ATTACHMENTS ON RACK UPRIGHTS

Each top is made with conical recess to support the spikes of the turntable platform.



3 EXTERNAL STRUCTURE

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

4 INTERNAL SUSPENDED STRUCTURE

Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of anti-resonant protection. This suspended audio rack has a triple decoupling.

5 TEFLON CILINDERS

Support the internal structure and isolates from the external structure. (Diameter 30 mm)



6 EARTH TERMINAL

To connect electronics (essential for phono) Check manual to connect properly if is necessary.

7 BRIDGE BAR

Height variable rear rods strengthen the external structure to guarantee stability and ensure free easy access to install components.

8 INTERNAL FRAME

These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.



9 LINEAR ARMS

Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

10 ISOLATION DISCS

Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.




11 STABILIZER BAR

Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.


12 DECOUPLING BASE

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.



Dampers.

Shock absorbers
Special antimagnetic and antivibration
STANDARD shock absorber 1.4kg.
Avoid parasites radio frequency
vibratons and interference in digital
systems.



Optional accessories

(check accessories catalog for more options)



Glass shelve



Floor platform



Turntable platform

AIR FORCE RACK

AIR FORCE RACK



Technology

- SDS** Suspended Double Structure tech
- 3D** Triple Decoupling
- AAT** Acoustic Anti-ressonance Treatment
- MNS** Maximum Neutrality System

Technical Construction Details

Specially made by Artesania Audio and Tech Das, for Air Force I, Air Force II and Air Force O.

Special Acrylic Damping made by special acrylic crystal with an excellent absorption capability for any vibrations developed by Tech Das under Mr. Nishikawa engineering especifications.

Includes krypton shelves 12mm


Special black glossy color



WOODEN CRATE INCLUDED



AIR FORCE I



AIR FORCE II

All racks are shipped 95% assembled

Dimensions like Exoteryc Rack

Any special & custom version upon request

KALISTA RACK

KALISTA RACK



Technology



SDS
Suspended Double Structure tech



3D
Triple Decoupling



AAT
Acoustic Anti-resonance Treatment



MNS
Maximum Neutrality System

Technical Construction Details

Tri Rack for Kalista, specially made by Artesania Audio and Metronome Engineering Team, Mr. Clazel (CEO & Head Designer) was personally involved on the final product.

The best support to avoid vibrations and have the best performance possible on the Kalista products.

1 STAINLESS STEEL TOP ATTACHMENTS ON RACK UPRIGHTS

Each top is made with conical recess to support the spikes of the turntable platform.

2 EXTERNAL STRUCTURE

It's made of metal filled with special particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

3 DECOUPLING BASE

Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.



WOODEN CRATE INCLUDED



All racks are shipped 95% assembled

Any special & custom version upon request



Technical Construction Details




- 1 ADJUSTABLE HEIGHT**
Guide to vary de high of the shelves. The shelf is a double sandwich glass of 6 + 6mm with a special treatment in between. Also available 12mm Krion shelves
- 2 NEOPRENE PADS**
Conical neoprene needles to isolate from vibrations and obtain a better performance in the listening experience.
- 3 DECOUPLING BASE**
Polyamide discs maximum absorption to avoid vibrations transmitted via soil.



Versions

RACK MODEL	rack weight		weight supported	
	kg	lb	kg	lb
2 levels	57	126	160	353
3 levels	79	174	240	529
4 levels	106	234	320	705


Rack's depth: 48 cm (adaptable on depth)



All racks are shipped 95% assembled

Any special & custom version upon request

*usable space: total net space between tiers



Technology



SDS
Suspended Double Structure tech



3D
Triple Decoupling



AAT
Acoustic Anti-ressonance Treatment





MNS
Maximum Neutrality System

Technical Specifications

Rack specially made for smaller components

Versions



All racks are shipped 95% assembled

Any special & custom version upon request

MINI RACK

MINI RACK

Technical Construction Details

1 PLATFORM
A stainless steel, anti-magnetic structure supports a specially treated base to set up a turntable or other components. Different versions and materials are available. Check accessories brochure.

2 STAINLESS STEEL TOP ATTACHMENTS ON RACK UPRIGHTS
Each top is made with conical recess to support the spikes of the turntable platform.



3 EXTERNAL STRUCTURE
It's made of metal filled with special particles and elastomers. The uprights have a diameter of 45 mm. These factors create a rack heavy, resistant and stable. The resonance coefficient of the structure is significantly lowered. The paint used is textured for diffusion purposes.

4 INTERNAL SUSPENDED STRUCTURE
Isolated from external structure. Eliminates vibrations that are transmitted from solid and acoustic sources through the creation of decouples; steel needles supported on isolating discs. These provide extra tiers of anti-resonant protection. This suspended audio rack has a triple decoupling.

5 TEFLON CILINDERS
Support the internal structure and isolates from the external structure. (Diameter 30 mm)



6 EARTH TERMINAL
To connect electronics (essential for phono) Check manual to connect properly if is necessary.

7 BRIDGE BAR
Height variable rear rods strengthen the external structure to guarantee stability and ensure free easy access to install components.

8 INTERNAL FRAME
These frames are adjustable in height to place any size of component properly. They are locked on the vertical stainless steel bars of the suspended structure.




9 LINEAR ARMS
Arms made from anti-magnetic stainless steel. The arms hold adjustable spikes (can be located in different positions) also support isolating discs and damping pads. Total flexibility in different positions and easy to change. This system allows to set up the best support position to place electronic components.

10 ISOLATION DISCS
Support each of the electronic components (without any need for shelves). Easy installation facilitated by an elastic insert which provides stability to place electronic components on the adjustable spikes.



11 STABILIZER BAR
Located in the internal structure they stop the tiniest pendular movement of the internal structure. Four in each rack, located at the lowest part of the internal structure. Check manual to use it properly.

12 DECOUPLING BASE
Stainless steel discs support the spikes of the uprights. Two types of floor pads are included, with different sonic behavior, depending on the room acoustics. Check manual to use the proper pads for the bases.




WOODEN CRATE INCLUDED





Technology



Technical Construction Details

In addition, it also presents the novelty of using conventional shelves, for those who don't feel like changing things and appreciate the immediate and permanent comfort of this solution.

The shelves are formed by Krypton solid surface, Panzerholz wood and a restricted layer of elastomer to provide energy control and a total vibration elimination. The legs of the rack are made of Duralumin, with titanium decoupling tips.

This model will soon have different versions and finishes, which will not leave indifferent any architect or interior designer, allowing an absolute integration with any decoration or environment, whatever the style.



For an absolute personalization, Artesania Audio will offer the option for the customer to design their own rack with the aesthetics and preferred colours.





Technical Specifications

MODULAR RACK WEIGHT		
MODEL	kg	lb
2 levels	22	48
3 levels	32	70
3+3 levels	42	92

INTERNAL STRUCTURE WEIGHT SUPPORTED		
MODEL	kg	lb
2 levels	75	165
3 levels	105	231
4 levels	125	275



- 1 TANK WOOD
- 2 EXTERNAL STRUCTURE DURALUMIN
- 3 KRION SURFACE
- 4 TITANIUM SPIKES



Any special & custom version upon request



Technology



NMP
No Metal Parts



3D
Triple Decoupling



AAT
Acoustic Anti-ressonance Treatment



MNS
Maximum Neutrality System



Technical Specifications

ABSOLUTE RACK WEIGHT		
MODEL	kg	lb
3 levels	120	264

INTERNAL WEIGHT SUPPORTED		
MODEL	kg	lb
3 levels	220	485

Technical Construction Details

The materials used in its construction are the best the market has to offer: Krion solid surface, Panzerholz wood, elastomer and Made in Japan thermoplastic screws.


The only metal parts used are the screws that make up the decoupling points of the rack, which are made of Titanium.

The iconic identity of excellence that Artesania Audio has been maintained, by the absence of shelves to support the electronics.

These are supported by Panzerholz wooden discs, which can be moved both horizontally and vertically to perfectly match the size of any component.

In this way, part of the company's technological legacy is respected, while other aspects are improved, such as the use of non-resonant materials that present an absolute synergy such as Krion and Panzerholz.

WOODEN CRATE INCLUDED



- ① TANK WOOD
- ② KRION
- ③ THERMOPLASTIC SCREWS



All racks are shipped 95% assembled

Any special & custom version upon request



ARTESANÍA AUDIO

the high end rack company

“ Artesania Audio means exceptional quality and technology ”
(ALTA FIDELIDAD, Spain)

“ Parasitic noise disappears completely and a beautifully clean sound is the result ”
(HAUTE FIDÉLITÉ, France)

“ Artesania racks extract every last drop of potential from the components it supports ”
(HAUTE FIDÉLITÉ, France)

“ The perfect rack? There are no shelves to flap about under your equipment, its arguably the best
equipment support known ”
(HI-FI NEWS, UK)

“ Artesania Audio wants components to sound like themselves (in mechanical isolation), Blue Moon
Award for Rack ”
(SIXMOONS, Switzerland)

“ Incredibly neutral, the overall solidity and control of my system, Most Wanted Component award ”
(STEREO TIMES, USA)

“ Music Sounded bigger, better recorded, you could hear more into the recording and the frequency
extremes were as effortless and natural as the mid-band ”
(HI-FI +, UK)

“ The Artesania Rack possesses the ability to improve the overall sonic performance of any separate
component or system as a whole ”
(ENJOY THE MUSIC, USA)

Rozando la perfección · Touching perfection · 近乎完美 · नकिट पूरणता · الأقرب إلى الكمال · Perto de perfeição
близкое совершенство · 完璧に近い · Proche de la perfection · 완벽에 가까운 · Perfektion in der Nähe

www.artesianiaaudio.com

info@artesianiaaudio.com